


# DrayTek Vigor2867 series

## 10G Dual-WAN DSL Security Router

Vigor2867 series is a Dual-WAN VPN Router with integrated VDSL2 35b/ADSL2+ and Ethernet WAN connections. The Vigor2867 series supports advanced features, including load balancing, VPN, QoS, IP/URL filtering, and Threat Protection to enhance network security. It also functions as a virtual controller for the centralized management of VigorAPs and VigorSwitches.



10GbE WAN/LAN  
Switchable

VDSL2 35b

60k Sessions

BE7200  
(be model)



### Interface

Fixed WAN Port	<ul style="list-style-type: none"> <li>① 1 x GbE RJ-45</li> <li>② 1 x VDSL2 35b/ADSL2+ RJ-11*</li> </ul>
WAN/LAN Switchable Port	<ul style="list-style-type: none"> <li>③ 1 x 10GbE RJ-45*</li> </ul>
Fixed LAN Port	<ul style="list-style-type: none"> <li>④ 1 x 10G SFP+*</li> <li>⑤ 1 x 2.5GbE RJ-45</li> <li>⑥ 3 x GbE RJ-45</li> </ul>
USB Port	<ul style="list-style-type: none"> <li>⑦ 2 x USB 2.0</li> </ul>
Button	<ul style="list-style-type: none"> <li>1 x Factory Reset</li> <li>1 x WLAN/WPS (be model)</li> </ul>

\*Only two of these ports can be active at the same time, and P2 & P3 cannot both act as WAN.

### DSL

VDSL Standards	<ul style="list-style-type: none"> <li>ITU-T G.993.1 VDSL</li> <li>ITU-T G.993.2 VDSL2</li> <li>ITU-T G.993.5 Vectoring</li> <li>ITU-T G.997.1</li> <li>ITU-T G.998.4 Retransmission</li> </ul>
VDSL2 Profile	8a, 8b, 8c, 8d, 12a, 12b, 17a, 30a, 35b
ADSL Standards	<ul style="list-style-type: none"> <li>ITU-T G.992.1 ADSL (G.dmt)</li> <li>ITU-T G.992.3 ADSL2</li> <li>ITU-T G.992.5 ADSL2+</li> <li>T1.413 Issue 2</li> </ul>
Annex Support	Annex A/B/J/M
Band Plan	997, 998

### Internet Connection

IPv4	PPPoE, DHCP, Static IP, MPoA, PPPoA
IPv6	PPP, DHCPv6, Static IPv6, TSPC, 6rd, 6in4 Static Tunnel
802.1p/q Multi-VLAN Tagging	•
Failover	•
Load Balancing	IP-based, Session-based
Connection Detection	ARP, Ping
WAN Data Budget	•
Dynamic DNS	•
DrayDDNS	•

### LAN

VLAN	802.1q Tag-based
Max. Number of VLAN	8
LAN Subnet	8
DHCP Server	Multiple IP Subnet, Custom DHCP Options, Bind-IP-to-MAC
Wired 802.1x Authentication	•
Port Mirroring	•
Local DNS Server	•
Conditional DNS Forwarding	•
Hotspot Web Portal	•
Hotspot Authentication	Click-Through, Social Login, SMS PIN, Voucher PIN, RADIUS, External Portal Server

## Monitoring

Log Center	•
WAN	•
ARP Table	•
Route Table	•
DHCP Table	•
IPv6 TSPC Status	•
IPv6 Neighbor Table	•
LLDP Neighbors	•
DNS Cache Table	•
Remote DSL Status	•
SFP Information	•
PPPoE Pass-Through	•
Session Table	•
Running Table	•

## IAM

Users & Groups	•
Access Policies	•
Group Policies	•
Conditional Access Policies	•
Resources	•
Account Status	•
Backup and Restore	•

## Bandwidth Management

Traffic Shaping Policy	•
IP-based Bandwidth Limit	•
IP-based Session Limit	•
QoS (Quality of Service)	IP Address, Port, Application
APP QoS	•
Default Policy	•
VoIP Prioritization	•

## NAT

Port Forwarding	•
DMZ Host	•
Port Trigger	•
ALG (Application Layer Gateway)	SIP, RTP
UPnP	•

## VPN

Site-to-Site	•
Teleworker	•
EasyVPN	•
Protocols	IPsec, IKEv1/IKEv2, IKEv2-EAP IPsec-XAuth, OpenVPN, WireGuard
Max. VPN Tunnels	50
User Authentication	Local, RADIUS, TACACS+, mOTP, TOTP
IKE Authentication	Pre-Shared Key, X.509
IPsec Authentication	SHA-1, SHA-256
Encryption	DES, 3DES, AES
Translate Local Network	•
Single-Armed VPN	•
NAT-Traversal (NAT-T)	•
VPN Matcher	•
VPN Connection Status	•
Backup & Restore	•

## Networking

Routing	IPv4 Static Route, IPv6 Static Route, Policy Route, Inter-VLAN Route, RIP v1/v2, OSPF (v2/v3), BGP
Policy-based Routing	Protocol, IP Address, Port
DNS Security (DNSSEC)	•
IGMP	IGMP v2/v3, IGMP Proxy, IGMP Snooping & Fast Leave
Local RADIUS server	•

## Management

Local Service	HTTP, HTTPS, Telnet, SSH v2, FTP, TR-069
Config Backup/Restore	•
Firmware Upgrade	WUI, TFTP, TR-069
Role-based Privilege	•
Access Control	Access List, Brute Force Protection
Notification Alert	SMS, E-mail
SNMP	v1, v2c, v3
Syslog	•
Virtual AP Controller	20
Virtual Switch Controller	10
Mesh (Number of manageable Aps)	7 (be model)
VigorACS Management	•

## Security

URL/IP Reputation	•
Firewall Filter	IP, Content, Traffic
Port Knocking	•
Defense Setup	ARP Spoofing, IP Spoofing
MAC Filtering Profile	•
IPv6 Address Security	•

## Wireless LAN (be model)

2.4GHz Max. Link Rate (Mbps)	1376
5GHz Max. Link Rate (Mbps)	5764
Wi-Fi 7	•
Max. Number of SSIDs (per band)	8 (4)
Security Mode	OWE, WPA, WPA2, WPA2/WPA, WPA3, WPA3/WPA2
Authentication	Pre-Shared Key
OFDMA	•
Roaming	Assisted Roaming Pre-Authentication 802.11r, 802.11k
Access Control	Hide SSID, WLAN Scheduling
AirTime Fairness	•
WMM	•
	WLAN
Vigor2867	
Vigor2867be	•